



PURCHASE ORDER

DELIVERY DUE DATE: 06 MAY 2025

Procurement Unit
Tel. No.: 045-606-8142/ 606-8157

Supplier: **MESCO, INC.**
Address: Reliance cor Brixton Sts. Kapitolyo, Pasig City
Type of Business: Merchandising
TIN No.: 002-586-635-00000 VAT Reg.
Tel. No.: (+632) 8631-1775/(+632) 8631-4028/0917-506-1600

PR No.: 2025-01-001
PO No.: 2025-103
Date: 2/11/2025
Mode of Procurement: Public Bidding

Gentlemen:


Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 60 Calendar days
Date of Delivery: Payment Term: N/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
14	set	MACHINE , Universal Milling, Table specification Table size: 1500 x 350 mm Maximum weight on table: 600 kg Distance between T shaped slots: 60 mm Rotary movement of table in both direction: 45 degrees Automatic longitudinal movement: 1150 mm Automatic cross movement: 400 mm Automatic vertical movement: 500 mm Available distance from spindle to overarm: 155 mm Main spindle Spindle taper: ISO-40 Milling arbor diameter: 27 mm Number of speeds of the spindle (r.p.m): 12 (40-1800 rpm) V-belts: 4 Main motor: 7.5 HP Traverse speeds Longitudinal and cross rapid traverse speed: 10-1208 mm/min Vertical traverse speed: 604 mm/min Overarm spindle Overarm spindle taper: ISO-40 Number of speeds of the spindle (r.p.m): 12 (35-1600 rpm) Motor power: 5.5 HP; Others Feed motor: 3 HP Cooling pump: 1/8 HP Machine net weight: 2900 kg Floor space requirement: 1900 x 2300 x 2300 mm Features: Rapid traverse on X, Y, and Z axes, Variable speeds on X, Y, and Z axes, High quality meehanite casting body, All gears and shafts are hardened, Table swivesl 45 degrees left and right, All X, Y, and Z wider square slide ways and table surface are harden and ground, Motorized ARM/RAM electric motor is 5.5 HP, Horizontal spindle electric motor is 7.5 HP, All square slide way and dovetail way are bigger and stronger. Accessories: Chip tray, Auto ways lube unit, Working LED light, Clamping kits, Rotary table 12", Universal dividing head BS-2 with 6" 3 jaw chuck, Power draw bar for vertical, Power draw bar for horizontal, DRO for X, Y, and Z axis, Table guard, Horizontal milling arbor, Coller chuck set, Boring head with shank, Drill chuck, Dovetail milling cutter, Side milling cutter. With calibration and installation. With Training. Warranty: 1 year / ***** <i>Purpose: Supply and Delivery of Machinery Equipment (EPA 2025)</i>	1	7,850,000.00	7,850,000.00

(Total Amount in Words) Seven Million Eight Hundred Fifty Thousand Pesos Only /

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed



Very truly yours,

DR. ARNOLD E. VELASCO
President
Authorized Official

Conforme:

ABEL S. LAMPA 3/3/25
MESCO, INC.
(Signature over printed name & date)

Bank Account Name: MESCO, Inc.
Bank Account Number: 633-7-633-90046-5
Bank Name: Metropolitan Bank and Trust Co.
Bank Address: Metrobank Plaza, Sen. Gil J. Puyat Avenue, Makati City

Funds Available:
JASPER A. YAUDER, CPA
Budget Officer

ALOBS No.: 06-101101-2025-02-002
Amount: 7,850,000



PURCHASE ORDER

DELIVERY DUE DATE: 06 MAY 2025

Procurement Unit
Tel. No.: 045-606-8142/ 606-8157

Supplier : **MESCO, INC.**
Address : Reliance cor Brixton Sts. Kapitolyo, Pasig City
Type of Business : Merchandising
TIN No. : 002-586-635-00000 VAT Reg.
Tel. No. : (+632) 8631-1775/(+632) 8631-4028/0917-506-1600

PR No.: 2025-01-001
PO No.: 2025-103
Date: 2/11/2025
Mode of Procurement: Public Bidding

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: 60 Calendar days
Date of Delivery: Payment Term: N/30

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
14	set	<p>MACHINE, Universal Milling, Table specification Table size: 1500 x 350 mm Maximum weight on table: 600 kg Distance between T shaped slots: 60 mm Rotary movement of table in both direction: 45 degrees Automatic longitudinal movement: 1150 mm Automatic cross movement: 400 mm Automatic vertical movement: 500 mm Available distance from spindle to overarm: 155 mm Main spindle Spindle taper: ISO-40 Milling arbor diameter: 27 mm Number of speeds of the spindle (r.p.m): 12 (40-1800 rpm) V-belts: 4 Main motor: 7.5 HP Traverse speeds Longitudinal and cross rapid traverse speed: 10-1208 mm/min Vertical traverse speed: 604 mm/min Overarm spindle Overarm spindle taper: ISO-40 Number of speeds of the spindle (r.p.m): 12 (35-1600 rpm) Motor power: 5.5 HP; Others Feed motor: 3 HP Cooling pump: 1/8 HP Machine net weight: 2900 kg Floor space requirement: 1900 x 2300 x 2300 mm Features: Rapid traverse on X, Y, and Z axes, Variable speeds on X, Y, and Z axes, High quality meehanite casting body, All gears and shafts are hardened, Table swivesl 45 degrees left and right, All X, Y, and Z wider square slide ways and table surface are harden and ground, Motorized ARM/RAM electric motor is 5.5 HP, Horizontal spindle electric motor is 7.5 HP, All square slide way and dovetail way are bigger and stronger. Accessories: Chip tray, Auto ways lube unit, Working LED light, Clamping kits, Rotary table 12", Universal dividing head BS-2 with 6" 3 jaw chuck, Power draw bar for vertical, Power draw bar for horizontal, DRO for X, Y, and Z axis, Table guard, Horizontal milling arbor, Collet chuck set, Boring head with shank, Drill chuck, Dovetail milling cutter, Side milling cutter. With calibration and installation. With Training, Warranty: 1 year</p> <p>***** Purpose: Supply and Delivery of Machinery Equipment (EPA 2025)</p>	1	7,850,000.00	7,850,000.00

(Total Amount in Words) Seven Million Eight Hundred Fifty Thousand Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed



Very truly yours,

DR. ARNOLD E. VELASCO
President

Authorized Official

Conforme:

ABEL S. LAMPA 3/3/25
MESCO, INC.
(Signature over printed name & date)

Bank Account Name: MESCO, Inc.
Bank Account Number: 633-7-633-90046-5
Bank Name: Metropolitan Bank and Trust Co.
Bank Address: Metrobank Plaza Sen. Gil J. Dyat Avenue Makati City

Funds Available:
JASPER A. YAUDER, CPA
Budget Officer

ALOBS No. : 06-10101-2025-02-002
Amount : 7 850 000



PURCHASE ORDER

DELIVERY DUE DATE: 06 MAY 2025

Procurement Unit
Tel. No.: 045-606-8142/ 606-8157

Supplier: **MESCO, INC.**
Address: **Reliance cor Brixton Sts. Kapitolyo, Pasig City**
Type of Business: **Merchandising**
TIN No.: **002-586-635-00000 VAT Reg.**
Tel. No.: **(+632) 8631-1775/(+632) 8631-4028/0917-506-1600**

PR No.: **2025-01-001**
PO No.: **2025-103**
Date: **2/11/2025**
Mode of Procurement: **Public Bidding**

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery: **TARLAC STATE UNIVERSITY** Delivery Term: **60 Calendar days**
Date of Delivery: Payment Term: **N/30**

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
14	set	<p>MACHINE, Universal Milling, Table specification Table size: 1500 x 350 mm Maximum weight on table: 600 kg Distance between T shaped slots: 60 mm Rotary movement of table in both direction: 45 degrees Automatic longitudinal movement: 1150 mm Automatic cross movement: 400 mm Automatic vertical movement: 500 mm Available distance from spindle to overarm: 155 mm Main spindle Spindle taper: ISO-40 Milling arbor diameter: 27 mm Number of speeds of the spindle (r.p.m): 12 (40-1800 rpm) V-belts: 4 Main motor: 7.5 HP Traverse speeds Longitudinal and cross rapid traverse speed: 10-1208 mm/min Vertical traverse speed: 604 mm/min Overarm spindle Overarm spindle taper: ISO-40 Number of speeds of the spindle (r.p.m): 12 (35-1600 rpm) Motor power: 5.5 HP; Others Feed motor: 3 HP Cooling pump: 1/8 HP Machine net weight: 2900 kg Floor space requirement: 1900 x 2300 x 2300 mm Features: Rapid traverse on X, Y, and Z axes, Variable speeds on X, Y, and Z axes, High quality meehanite casting body, All gears and shafts are hardened, Table swivesl 45 degrees left and right, All X, Y, and Z wider square slide ways and table surface are harden and ground, Motorized ARM/RAM electric motor is 5.5 HP, Horizontal spindle electric motor is 7.5 HP, All square slide way and dovetail way are bigger and stronger. Accessories: Chip tray, Auto ways lube unit, Working LED light, Clamping kits, Rotary table 12", Universal dividing head BS-2 with 6" 3 jaw chuck, Power draw bar for vertical, Power draw bar for horizontal, DRO for X, Y, and Z axis, Table guard, Horizontal milling arbor, Coller chuck set, Boring head with shank, Drill chuck, Dovetail milling cutter, Side milling cutter. With calibration and installation. With Training. Warranty: 1 year</p> <p>***** <i>Purpose: Supply and Delivery of Machinery Equipment (EPA 2025)</i></p>	1	7,850,000.00	7,850,000.00

(Total Amount in Words) Seven Million Eight Hundred Fifty Thousand Pesos Only

Warranty shall be for a period minimum of Three (3) months for expendable supplies, or a minimum period of one (1) Year for non-expendable supplies. In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed



Very truly yours,

DR. ARNOLD E. VELASCO
President

Authorized Official

Conforme:

ABBEL LAMPA 3/3/25
MESCO, INC.

(Signature over printed name & date)

Bank Account Name: **MESCO, Inc.**
Bank Account Number: **633-7-633-90046-5**
Bank Name: **Metropolitan Bank and Trust Co.**
Bank Address: **Metrobank Plaza Sen Gil J. Puyat Avenue Makati City**

Funds Available:

JASPER A. YAUDER, CPA
Budget Officer

ALOBS No.: **06-161101-2025-02-0002**
Amount: **7,850,000**